



At the core of the Engage KTN is the definition of various thematic challenges: new ideas suggested by the research community, not already included within the scope of an existing SESAR project. They are developed along with the ATM concepts roadmap and complementarily with some of the network's PhDs and theses.

Thematic challenge 3

Efficient provision and use of meteorological information in ATM



Edition 2.0, November 2018

This is an evolving document that summarises the key concepts (and, later, findings) for thematic challenge 3.

Abstract

The main objective of this challenge is to improve overall ATM system performance by providing better user-support tools based on improved meteorological ('MET') products. The focus is on the synergy of several methods and techniques in order to better meet the needs of operational users and to support aviation safety (e.g., through creating early warning systems) and regulation-makers (e.g., moving from text-based to graphical information provision). All stakeholders may benefit from this synergy: ANSPs (e.g., sector reconfiguration and separation provision), airlines (e.g., storm avoidance), airport operators (e.g., airport management under disruptive events), and the Network Manager (e.g., demand-capacity balancing). The challenge is, therefore, to bring the following perspectives closer: (a) for meteorological/atmospheric science, the development of products tailored to ATM stakeholders' needs, which are unambiguous and easy to interpret; (b) for stakeholders, the identification of the most suitable information available and its integration into planning and decision-making processes.

Description of challenge

Weather is an integral part of ATM, especially in the light of increasing traffic levels, where weather conditions present a significant source of uncertainty in the planning process, and one of the major causes of disruption and consequent delay during operations. About 20-30% of total ATFM delay has been caused by weather in recent years, while this grew to 20-45% in the first six months of 2018, thus challenging the achievement of the Performance Scheme goals for this year. In addition, extreme weather phenomena such as hail, severe icing and lightning present significant hazards as they can inflict substantial damage to aircraft. As extreme weather events are becoming more frequent in Europe, and forecast certainty is apparently decreasing, ATM performance is negatively impacted.

This thematic challenge aims at understanding how ATM may benefit more from the advances in meteorology/atmospheric sciences, especially in the light of climate change and the weather uncertainty that it brings. This is a key issue in the current European ATM research arena because on the one hand, extreme weather patterns are changing with climate change and, on the other hand, the impact of weather on different parts of the ATM network and its stakeholders (e.g. airports, ANSPs, airlines, passengers, Network Manager) varies in the type and magnitude of disruption, and consequent costs. For example:

- Airports – different conditions (e.g. rain, fog, snow) can cause capacity reductions and even closures (see also the ACI policy brief¹ on climate adaptation by airports);
- En-route – winds impact aircraft speed, weather cells can cause ANSPs to change flights' trajectories, etc;
- Airlines – trajectory changes², delays and schedule disruption occur, resulting in various types of cost (e.g. passenger reaccommodation);
- Network level – the Network Manager coordinates and circulates the information to all stakeholders regarding local weather impacts on flow management, without taking decisions on local weather-related actions, apart from facilitating network-level harmonisation; an overarching, reliable and shared view on weather is still not in place in the European network.

Hence, meteorological information needs differ across stakeholders, either in the type of information, or in the useful time horizon and in the certainty/uncertainty that can be tolerated in the decision-making processes. The time horizon may span from a few days to real-time, depending on the stakeholder and the function the stakeholder performs (e.g. ATC, or baggage handling at the airport). Furthermore, different forecast (and observation) resolutions are needed - a grid of 100 km² could be quite adequate for an ANSP, but lacks necessary detail for terminal manoeuvring/airport management. Another important component is the level of uncertainty that weather conditions impose. In the planning processes, higher uncertainty is tolerated, while in real time operations more certain information on the extent and trend of meteorological conditions is needed.

At present, the delivery and format of meteorological information provision is regulated by ICAO Annex 3, EASA and national regulations (in Europe). Regulated MET services and products³ from certified MET ANSPs are quality controlled and are, in principle, free. In the USA, the National Weather Service provides a comprehensive set of forecasts, observations and tools *via* the Aviation Weather Center, and the Federal Aviation Authority deploys various weather-related decision-support tools aimed at more efficient air traffic management. In Europe, there are about 40 MET information service providers, some being certified National Meteorological and Hydrological Services (NMHS), some Air Traffic Service (ATS) organisations, or a mixture of the two. Each has different responsibilities and cost structures. Commercial value-added services exist, and allow tailoring to user needs. These can be provided by a commercial MET provider or MET ANSP (for a fee). The Pilot Common Project (EU 716/2014) and Regulation EU 2017/373 are calling for additional MET services, and there is a widespread belief

¹ https://store.aci.aero/wp-content/uploads/2018/10/Policy_brief_airports_adaption_climate_change_V6_WEB.pdf

² Improved trajectory prediction *per se* falls within the remit of Engage thematic challenge 2.

³ MET products refer to different types of meteorological information, such as forecasts, observations, now-casts.

that if action is not taken promptly, new climate conditions will pose ever greater challenges to all ATM stakeholders.

In fact, the number and the intensity of extreme weather events increased in recent decades in some areas of the globe including Europe (Hov *et al.*, 2013). Damage is mostly caused by strong winds, hail and precipitation intensity. Studies suggest that higher precipitation intensity for northern Europe, dry-spell periods for southern Europe, high intensity and extreme precipitation are expected to become more frequent within the next 70 years. The increased frequency is estimated to be larger for more extreme events, but will vary considerably from region to region (*ibid*). For instance, Black *et al.* (2010) reported decreasing winter rainfall over southern Europe and the Middle East and increased rainfall further north caused by a poleward shift of the North Atlantic storm track.

Long-term changes in European storminess are not very clear and sometimes show conflicting results. Some studies show a strong multidecadal variability (Alexandersson *et al.*, 2000; Barring and von Storch, 2004; Wang *et al.*, 2009), and analyses of extreme wind speeds highlight significant upward trends in central, northern and western Europe (Donat *et al.*, 2011b; Brönnimann *et al.*, 2012). Models under scenarios with increasing greenhouse gas concentrations indicate an increase in the number of severe storms in north-western and central Europe, which is also in accordance with other simulation results (Beniston *et al.*, 2007). These simulations also suggest a significant increase in cyclone intensity and the number of intense cyclones over northwest, central and western Europe, under future climate conditions (Leckebusch *et al.*, 2006, 2008; Pinto *et al.*, 2009; Ulbrich *et al.*, 2009). A belt stretching from the United Kingdom to Poland will experience an increase in extreme storminess and wind speed, while southern Europe and the Mediterranean will rather see a decrease in strong winds (Leckebusch *et al.*, 2006; Donat *et al.*, 2011a).

It must be recognised that recent years have witnessed important improvements in observational (e.g., satellites, LIDARs) and numerical weather prediction (NWP) models in the atmospheric sciences (e.g., models for air quality in megacities that consider topography and resolution of under 100m). However, little has yet filtered down to the ATM world. Several workshops and MET-related projects came to similar conclusions: it is important to bring ANSPs, airlines, academics, MET service providers and atmospheric scientists together to better understand the effects and requirements of mitigation actions to convective, winter and hazardous weather at trajectory, network and airport levels. In some cases, tools and know-how exist, in others better models and outputs became available but are not exactly what ATM needs. Thus, the initial step towards delivering the improved MET information needed for more efficient air traffic management consists of both learning about improvements in the atmospheric sciences, and about ATM needs in the light of the uncertainty that weather imposes on the network (and related uncertainty management) and, possibly, associated regulatory issues.

The ultimate goal of this thematic challenge is therefore to define further research and operational needs regarding the use of weather information for more efficient ATM.

Update from the workshop

MET-related research should enhance situational awareness of MET conditions for all ATM stakeholders, using state-of-the-art MET products. MET provision in Europe is fragmented, as each state is responsible for the provision for its territory. This is one of the reasons behind the lack of a consistent and agreed weather 'picture' for ATM in Europe. The Network Manager and several MET offices are working on the creation and usage of European forecasts for network management.

Currently, the trend in MET research is focused on ensemble prediction systems. Thus, in the next 5-10 years we should expect MET products to be realised as ensembles, providing measures of uncertainty in different atmospheric variables. A long-term educational and communication effort should be undertaken so that ATM stakeholders are prepared to understand these new MET products and take advantage for better planning of resources.

MET products can be classified along two dimensions: spatial and temporal resolution. In terms of spatial resolution, forecasts can be cast as global (resolution of about 1 degree), limited-area models (covering regions such as Europe, resolution in terms of tens of kilometres), and of very high-resolution (smaller areas, such as terminal manoeuvring areas, resolution of hundreds of metres). In terms of temporal resolution, there are long- (about 1 week), medium- (about 1 day), short- (about 3-6 hours), and very short-range (about 1 hour) forecasts. Both the temporal and spatial resolution are important depending on the stakeholder application. For example, the Network Manager is interested in medium-range / limited-area forecasts; dispatchers, in short-range / limited areas; pilots/controllers, in very short-range / very high-resolution when facing storms; airports, in very short-range / very high-resolution, etc.

The higher the resolution, the forecast becomes more challenging. NWP alone are not sufficient for this type of product, and call for data assimilation of the observed values of varied atmospheric characteristics (e.g. lightning, deep convection). *In situ* sensors and sensor networks that collect and deliver information for forecasting are needed. The aggregation of different sources of data for blended ensemble forecasts in the very high-resolution, very short-range scales seems to be the trend for the next 10 years.

The most cited barriers to the progress of MET and MET/ATM research were the inadequacy of research funding available to the MET offices (only partial funding), and fragmented provision of MET products for aviation (coupled with regulatory and sovereignty matters). Further important barriers revolve around the trust the ATM users have in available MET products, and not particularly high usage in operational decision-making. This points to the two underlying issues:

1. fitness of purpose of MET products (e.g. medium-range, limited-area forecasts are of little practical use to airport tower supervisors, while the very high-resolution, very short-range forecasts would be more easily included in this decision-making process);
2. ATM stakeholder knowledge of the available MET products, especially on the characteristics and meaning of MET products being developed.

The following have been identified as *example* ideas for potential further exploration:

1. Very high-resolution, very short-range forecasts using numerical weather prediction models and observational data assimilation;
2. Quantifying the sensitivity of operational processes to MET uncertainty, comparing these with other sources of uncertainty;
3. Incorporation of ensemble weather information into decision-support tools, adapted for different ATM stakeholders;
4. Accurate prediction of weather conditions (e.g. visibility, glide-path wind) influencing airport arrival and departure operations;
5. Consolidation of climate risk assessment methodologies for airports;
6. Creating a climate forecast 'baseline' for aviation from the IPCC UN panel report.

References

- Alexandersson H, Tuomenvirta H, Schmith T, Iden K, 2000. Trends of Storms in NW Europe derived from an updated pressure data set. *Climate Research*, 14, 71–73.
- Black E, Brayshaw DJ, Rambeau CMC, 2010. Past, present and future precipitation in the Middle East: insights from models and observations. *Philosophical Transactions of the Royal Society of London A: Mathematical, Physical and Engineering Sciences*, 368, 5173–5184.
- Barring L, Von Storch H, 2004. Scandinavian storminess since about 1800. *Geophysical Research Letters*, 31 (20).
- Beniston M, Stephenson DB, Christensen OB, Ferro CAT, Frei C, Goyette S, Halsnaes K, Holt T, Jylha K, Koffi B, Palutikof J, Scholl R, Semmler T, Woth K, 2007. Future extreme events in European climate: an exploration of regional climate model projections. *Climatic Change*, 81, 71–95.
- Brönnimann S, Martius O, von Waldow H, Welker C, Luterbacher J, Compo GP, Sardeshmukh PD, Usbeck T, 2012. Extreme winds at northern mid-latitudes since 1871. *Meteorologische Zeitschrift*, 21, 13–27.
- Donat MG, Leckebusch GC, Wild S, Ulbrich U, 2011a. Future changes in European winter storm losses and extreme wind speeds inferred from GCM and RCM multi-model simulations. *Natural Hazards and Earth System Science*, 11, 1351–1370.
- Donat MG, Renggli D, Wild S, Alexander LV, Leckebusch GC, Ulbrich U, 2011b. Reanalysis suggests long-term upward trends in European storminess since 1871. *Geophysical Research Letters*, 38 (14).
- Hov \emptyset , et al., 2013. Extreme weather events in Europe: preparing for climate change adaptation, Norwegian Meteorological Institute.
- Leckebusch GC, Koffi B, Ulbrich U, Pinto JG, Spanghel T, Zacharias S, 2006. Analysis of frequency and intensity of European winter storm events from a multi-model perspective, at synoptic and regional scales. *Climate Research*, 31, 59–74.
- Leckebusch GC, Donat M, Ulbrich U, Pinto JG, 2008. Mid-latitude Cyclones and Storms in an Ensemble of European AOGCMs under ACC. *Clivar Exchanges*, 13, 3–5.
- Pinto JG, Zacharias S, Fink AH, Leckebusch GC, Ulbrich U, 2009. Factors contributing to the development of extreme North Atlantic cyclones and their relationship with the NAO. *Climate dynamics*, 32, 711–737.
- Ulbrich U, Leckebusch GC, Pinto JG, 2009. Extratropical cyclones in the present and future climate: a review. *Theoretical and Applied Climatology*, 96, 117–131.
- Wang J, Zhang J, Watanabe E, Ikeda M, Mizobata K, Walsh JE, Bai X, Wu B, 2009. Is the Dipole Anomaly a major driver to record lows in Arctic summer sea ice extent? *Geophysical Research Letters*, 36 (5).



This project has received funding from the SESAR Joint Undertaking under the European Union's Horizon 2020 research and innovation programme under grant agreement No 783287.